BIBLIOGRAPHY

[1] U.S.G.A. Office, "Additional Actions Could Improve Federal Use of Data on Pipeline Materials and Corrosion," in "PIPELINE SAFETY: GAO-17-639," 2017, Available: https://www.gao.gov/assets/gao-17-639.pdf, Accessed on: 17-Feb-2022.

[2] B. Petroleum, "BP Statistical Review of World Energy," 2019, Available: https://www.bp.com/content/dam/bp/business-sites/en/global/corporate/pdfs/energy-economics/statistical-review/bp-stats-review-2019-full-report.pdf, Accessed on: 22, January, 2020.

[3] US_EIA, "Annual Energy Outlook 2018 with projections to 2050," 2018, Accessed on: 6, May, 2019.

[4] CEIC. (12,Oct,2019). *CEIC Data Base*. Available: https://www.ceicdata.com/en/products/global-economic-database

[5] S. Belsito, P. Lombardi, P. Andreussi, and S. Banerjee, "Leak detection in liquefied gas pipelines by artificial neural networks," *AIChE Journal,* vol. 44, no. 12, pp. 2675-2688, 1998.

[6] B.K. Sovacool, "The costs of failure: A preliminary assessment of major energy accidents, 1907–2007," *Energy Policy,* vol. 36, no. 5, pp. 1802-1820, 2008.

[7] S.S.S. Datta, "A review on different pipeline fault detection methods," *Journal of Loss Prevention in the Process Industries,* vol. 41, pp. 97-106, 2016.

[8] G.P.I. EGIG, "9th Report of the European Gas Pipeline Incident Data Group (period 1970–2013), Doc," in "Number EGIG," Groningencity, Netherlands 2015, vol. 14, Accessed on: 8, May, 2020.

[9] *Pipeline and Hazardous Materials Safety Administration*. 7, December, 2019. Available: https://primis.phmsa.dot.gov/comm/FactSheets/FSInternalCorrosion.htm

[10] A.H. Ayati, A. Haghighi and P. Lee, "Statistical Review of Major Standpoints in Hydraulic Transient-Based Leak Detection," *Journal of Hydraulic Structures,* vol. 5, no. 1, pp. 1-26, 2019.

[11] A.E. Regulator, *Report 2013-B: Pipeline Performance in Alberta, 1990-2012*. Alberta Energy Regulator, 2013.

[12] R.R.F. Michael Baker, "Pipeline corrosioin," in "Pipeline significant incidents," U.S. Department of Transportation 2008, Available: https://primis.phmsa.dot.gov/gasimp/docs/finalreport_pipelinecorrosion.pdf, Accessed on: 2, September, 2019.

[13] M. Nasir, K.W. Chong, S. Osman, and W.S. Khur, "Bad Actors Criticality Assessment for Pipeline system," in *IOP Conference Series: Materials Science and Engineering*, 2015, vol. 78, no. 1, p. 012026: IOP Publishing.

[14] U. Reporter. (2014). *Lawas explosion: Petronas to completely remove residual gas*. Available: https://www.nst.com.my/news/2015/09/lawas-explosion-petronas-completely-remove-residual-gas

[15] NTSB, "Pipeline Accident Report," USA2011, Available: https://www.ntsb.gov/investigations/AccidentReports/Reports/PAR1101.pdf, Accessed on: 6, June 2018.

[16] W. Pentland. (2017). *PG&E Sentenced To Public Shaming, Community Service For San Bruno Explosion*. Available: https://www.forbes.com/sites/williampentland/2017/01/26/pge-sentenced-to-public-shaming-community-service-for-san-bruno-explosion/?sh=487cd5aa7698

[17] P.-S. Murvay and I. Silea, "A survey on gas leak detection and localization techniques," *Journal of Loss Prevention in the Process Industries,* vol. 25, no. 6, pp. 966-973, 2012.

[18] T.A. Lemma, *A Hybrid Approach for Power Plant Fault Diagnostics* (Studies in Computational Intelligence). Springer International Publishing, 2018.

[19] R. Isermann and P. Balle, "Trends in the application of model-based fault detection and diagnosis of technical processes," *Control engineering practice,* vol. 5, no. 5, pp. 709-719, 1997.

[20] V. Venkatasubramanian, R. Rengaswamy, K. Yin and S.N. Kavuri, "A review of process fault detection and diagnosis: Part I: Quantitative model-based methods," *Computers & Chemical Engineering,* vol. 27, no. 3, pp. 293-311, 2003/03/15/ 2003.

[21] X. Dai and Z. Gao, "From model, signal to knowledge: A data-driven perspective of fault detection and diagnosis," *IEEE Transactions on Industrial Informatics,* vol. 9, no. 4, pp. 2226-2238, 2013.

[22] M. Alauddin, F. Khan, S. Imtiaz and S. Ahmed, "A bibliometric review and analysis of data-driven fault detection and diagnosis methods for process systems," *Industrial & Engineering Chemistry Research,* vol. 57, no. 32, pp. 10719-10735, 2018.

[23] A. Mouzakitis, "Classification of fault diagnosis methods for control systems," *Measurement and Control,* vol. 46, no. 10, pp. 303-308, 2013.

[24] Y. Yu, D. Woradechjumroen and D. Yu, "A review of fault detection and diagnosis methodologies on air-handling units," *Energy and Buildings,* vol. 82, pp. 550-562, 2014.

[25] B. Arifin, Z. Li, S.L. Shah, G.A. Meyer and A. Colin, "A novel data-driven leak detection and localization algorithm using the Kantorovich distance," *Computers & Chemical Engineering,* vol. 108, pp. 300-313, 2018.

[26] R. Isermann, *Fault-diagnosis Applications: Model-Based Condition Monitoring: Actuators, Drives, Machinery, Plants, Sensors, And Fault-Tolerant Systems*. Springer Science & Business Media, 2011.

[27] F. Wang, W. Lin, Z. Liu and X. Qiu, "Pipeline leak detection and location based on model-free isolation of abnormal acoustic signals," *Energies,* vol. 12, no. 16, p. 3172, 2019.

[28] M.S. Jadin and K.H. Ghazali, "Gas leakage detection using thermal imaging technique," in *Computer Modelling and Simulation (UKSim), 2014 UKSim-AMSS 16th International Conference on*, 2014, pp. 302-306: IEEE.

[29] S.-C. Huang, W.-W. Lin, M.-T. Tsai and M.-H. Chen, "Fiber optic in-line distributed sensor for detection and localization of the pipeline leaks," *Sensors and Actuators A: Physical,* vol. 135, no. 2, pp. 570-579, 2007.

[30] G. Geiger, B. Bollermann and R. Tetzner, "Leak Monitoring of an Ethylene Gas Pipeline," in *PSIG Annual Meeting*, 2004: Pipeline Simulation Interest Group.

[31] Y. Bai and Q. Bai, *Subsea Pipeline Integrity And Risk Management*. Gulf Professional Publishing, 2014.

[32] S. Simani, C. Fantuzzi and R.J. Patton, "Model-based fault diagnosis techniques," in *Model-based Fault Diagnosis in Dynamic Systems Using Identification Techniques*: Springer, 2003, pp. 19-60.

[33] M. Deflorian and S. Zaglauer, "Design of experiments for nonlinear dynamic system identification," *IFAC Proceedings Volumes,* vol. 44, no. 1, pp. 13179-13184, 2011.

[34] X. Pan, T. Weiting, J.P. Raftery and K.M. Nazmul, "Design of an Unknown Input Observer for Leak Detection under Process Disturbances," *Industrial & Engineering Chemistry Research,* vol. 56, no. 4, pp. 989-998, 2017.

[35] T. Zhang, Y. Tan, X. Zhang, and J. Zhao, "A novel hybrid technique for leak detection and location in straight pipelines," *Journal of Loss Prevention in the Process Industries,* vol. 35, pp. 157-168, 2015.

[36] S. Wang and J.J. Carroll, "Leak Detection for Gas and Liquid Pipelines by Transient Modeling," in *International Oil & Gas Conference and Exhibition in China*, 2006: Society of Petroleum Engineers.

[37] J. Xie, X. Xu, and S. Dubljevic, "Long range pipeline leak detection and localization using discrete observer and support vector machine," *AIChE Journal,* 2019.

[38] K. Suwan and A. Anderson, "Lumped-parameter representation of fluid-system transients," *Transactions of the Institute of Measurement and Control,* vol. 13, no. 2, pp. 68-74, 1991.

[39] C. Verde, L. Torres and O. González, "Decentralized scheme for leaks' location in a branched pipeline," *Journal of Loss Prevention in the Process Industries,* vol. 43, pp. 18-28, 2016.

[40] T. Davitashvili and G. Gubelidze, "On Leak Localization in the Main Branched and Simple Inclined Gas Pipelines," in *Proceedings of World Academy of Science, Engineering and Technology*, 2013, no. 79, p. 545: World Academy of Science, Engineering and Technology (WASET).

[41] M.B. Hashmi, T.A. Lemma, A. Karim and Z. Ambri, "Investigation of the Combined Effect of Variable Inlet Guide Vane Drift, Fouling, and Inlet Air Cooling on Gas Turbine Performance," *Entropy,* vol. 21, no. 12, p. 1186, 2019.

[42] S.M. Mujtaba, T.A. Lemma and S.K. Vandrangi, "Leak diagnostics in natural gas pipelines using fault signatures," *International Journal of Pressure Vessels and Piping,* vol. 199, p. 104698, 2022.

[43] S.M. Mujtaba, T.A. Lemma and S.K. Vandrangi, "Gas Pipeline Safety Management System Based on Neural Network," *Under Review in a Journal,* 2021.

[44] L. Lennart, "System identification: theory for the user," *PTR Prentice Hall, Upper Saddle River, NJ,* pp. 1-14, 1999.

[45] S.A. Billings, *Nonlinear system identification: NARMAX methods in the time, frequency, and spatio-temporal domains*. John Wiley & Sons, 2013.

[46] O. Nelles, *Nonlinear system identification: from classical approaches to neural networks and fuzzy models*. Springer Science & Business Media, 2013.

[47] J. Mikleš and M. Fikar, "Process modelling, identification, and control," 2007.

[48] R. Haber, R. Bars and U. Schmitz, *Predictive control in process engineering: From the basics to the applications*. Weinheim, Germany: John Wiley & Sons, 2012.

[49] P. Eykhoff, *Trends and progress in system identification: IFAC Series for Graduates, Research Workers & Practising Engineers*. Elsevier, 2014.

[50] A. Janczak, *Identification of nonlinear systems using neural networks and polynomial models: a block-oriented approach*. Springer Science & Business Media, 2004.

[51] V. Venkatasubramanian, R. Rengaswamy, S. N. Kavuri and K. Yin, "A review of process fault detection and diagnosis: Part III: Process history based methods," *Computers & chemical engineering,* vol. 27, no. 3, pp. 327-346, 2003.

[52] S.A. Taqvi, L.D. Tufa, H. Zabiri, A.S. Maulud and F. Uddin, "Fault detection in distillation column using NARX neural network," *Neural Computing and Applications,* pp. 1-17, 2018.

[53] J. Smith, J. Chae, S. Learn, R. Hugo, and S. Park, "Pipeline rupture detection using real-time transient modelling and convolutional neural networks," in *2018 12th International Pipeline Conference*, 2018: American Society of Mechanical Engineers Digital Collection.

[54] K. Afebu, A. Abbas, G. Nasr and A. Kadir, "Integrated leak detection in gas pipelines using OLGA simulator and artificial neural networks," in *Abu Dhabi International Petroleum Exhibition and Conference*, 2015, Abu Dhabi, UAE: Society of Petroleum Engineers.

[55] M. Rahmati, "Modeling of gas pipeline in order to implement a leakage detection system using artificial neural networks based on instrumentation," *International Journal of Numerical Modelling: Electronic Networks, Devices and Fields,* p. e2520, 2018.

[56] I.N. Ferraz, A.C. Garcia, and F.C. Bernardini, "Artificial neural networks ensemble used for pipeline leak detection systems," in *2008 7th International Pipeline Conference*, 2008, pp. 739-747: American Society of Mechanical Engineers.

[57] W. Junru, W. Tao, and W. Junzheng, "Hybrid modelling for leak detection of long-distance gas transport pipeline," *Insight-Non-Destructive Testing and Condition Monitoring,* vol. 55, no. 7, pp. 372-381, 2013.

[58] M. Zadkarami, M. Shahbazian, and K. Salahshoor, "Pipeline leak diagnosis based on wavelet and statistical features using Dempster: Shafer classifier fusion technique," *Process Safety And Environmental Protection,* vol. 105, pp. 156-163, 2017.

[59] U. Roy, "Leak Detection in Pipe Networks Using Hybrid ANN Method," *Water Conservation Science and Engineering,* vol. 2, no. 4, pp. 145-152, 2017.

[60] M. Rahmati, H. Yazdizadeh, and A. Yazdizadeh, "Leakage detection in a gas pipeline using artificial neural networks based on wireless sensor network and Internet of Things," in *Industrial Informatics (INDIN), 2017 IEEE 15th International Conference on*, 2017, pp. 659-664: IEEE.

[61] I. Barradas, L. E. Garza, R. Morales-Menendez and A. Vargas-Martínez, "Leaks detection in a pipeline using artificial neural networks," in *Iberoamerican Congress on Pattern Recognition*, 2009, pp. 637-644: Springer.

[62] R. Isermann, "On fuzzy logic applications for automatic control, supervision, and fault diagnosis," *IEEE Transactions on Systems, Man, and Cybernetics-Part A: Systems and Humans,* vol. 28, no. 2, pp. 221-235, 1998.

[63] A. Bucur and V. Rafa, "Detection of accidental leaks in natural gas main pipelines by fuzzy logic tools," *Environmental Engineering and Management Journal,* vol. 13, no. 6, pp. 1533-1536, 2014.

[64] C. Laurentys, C. H. d. M. Bomfim, B. Menezes, and W. M. Caminhas, "Design of a pipeline leakage detection using expert system: A novel approach," *Applied Soft Computing,* vol. 11, no. 1, pp. 1057-1066, 2011.

[65] N. Taillefond and O. Wolkenhauer, "Fuzzy clustering and classification for automated leak detection systems," *IFAC Proceedings Volumes,* vol. 35, no. 1, pp. 407-411, 2002.

[66] H.V. Da Silva, C.K. Morooka, I.R. Guilherme, T. C. da Fonseca, and J. R. Mendes, "Leak detection in petroleum pipelines using a fuzzy system," *Journal of Petroleum Science and Engineering,* vol. 49, no. 3-4, pp. 223-238, 2005.

[67] J. Feng and H.-g. Zhang, "Diagnosis and localization of pipeline leak based on fuzzy decision-making method," *Acta automatica sinica,* vol. 31, no. 3, p. 484, 2005.

[68] S. Valizadeh, B. Moshiri and K. Salahshoor, "Multiphase pipeline leak detection based on fuzzy classification," in *AIP Conference Proceedings*, 2009, vol. 1159, no. 1, pp. 72-80: AIP.

[69] D. Wachla, P. Przystalka and W. Moczulski, "A method of leakage location in water distribution networks using artificial neuro-fuzzy system," *IFAC-PapersOnLine,* vol. 48, no. 21, pp. 1216-1223, 2015.

[70] C. Cortes and V. Vapnik, "Support-vector networks," *Machine learning,* vol. 20, no. 3, pp. 273-297, 1995.

[71] Z. Qu, H. Feng, Z. Zeng, J. Zhuge and S. Jin, "A SVM-based pipeline leakage detection and pre-warning system," *Measurement,* vol. 43, no. 4, pp. 513-519, 2010.

[72] X. Lang, P. Li, Z. Hu, H. Ren and Y. Li, "Leak detection and location of pipelines based on LMD and least squares twin support vector machine," *IEEE Access,* vol. 5, pp. 8659-8668, 2017.

[73] S.A. Taqvi, L.D. Tufa, H. Zabiri, A.S. Maulud and F. Uddin, "Multiple Fault Diagnosis in Distillation Column Using Multikernel Support Vector Machine," *Industrial & Engineering Chemistry Research,* vol. 57, no. 43, pp. 14689-14706, 2018.

[74] J. Wan, Y. Yu, Y. Wu, R. Feng and N. Yu, "Hierarchical leak detection and localization method in natural gas pipeline monitoring sensor networks," *Sensors,* vol. 12, no. 1, pp. 189-214, 2012.

[75] J. Liu, Y. Ma, Z. Wu, and G. Wang, "Real-time pressure based diagnosis method for oil pipeline leakage," *Journal of Shanghai Jiaotong University (Science),* vol. 22, no. 2, pp. 233-239, 2017.

[76] W. Ku, R.H. Storer and C. Georgakis, "Disturbance detection and isolation by dynamic principal component analysis," *Chemometrics and intelligent laboratory systems,* vol. 30, no. 1, pp. 179-196, 1995.

[77] L.H. Chiang, E.L. Russell, and R.D. Braatz, *Fault detection and diagnosis in industrial systems*. Springer Science & Business Media, 2000.

[78] C. Verde and L. Torres, *Modeling and Monitoring of Pipelines and Networks: Advanced Tools for Automatic Monitoring and Supervision of Pipelines*. Switzerland: Springer International Publishing, 2017.

[79] J. Gertler, J. Romera, V. Puig and J. Quevedo, "Leak detection and isolation in water distribution networks using principal component analysis and structured residuals," in *2010 Conference on Control and Fault-Tolerant Systems (SysTol)*, 2010, pp. 191-196: IEEE.

[80] R. Hu, H. Ye, G. Wang and C. Lu, "Leak detection in pipelines based on PCA," in *ICARCV 2004 8th Control, Automation, Robotics and Vision Conference, 2004.*, 2004, vol. 3, pp. 1985-1989: IEEE.

[81] S.M. Mujtaba, T.A. Lemma, and M.A. Gebremariam, "Fault Detection System for Long-Distance Gas Mixture Pipelines Using Statistical Features," in *Advances in Manufacturing Engineering*, 2020, pp. 287-303: Springer.

[82] J.E. Jackson, "Quality control methods for several related variables," *Technometrics,* vol. 1, no. 4, pp. 359-377, 1959.

[83] Y. Dong and S. J. Qin, "A novel dynamic PCA algorithm for dynamic data modeling and process monitoring," *Journal of Process Control,* vol. 67, pp. 1-11, 2018.

[84] X. Sun, H.J. Marquez, T. Chen and M. Riaz, "An improved PCA method with application to boiler leak detection," *ISA transactions,* vol. 44, no. 3, pp. 379-397, 2005.

[85] T. Rato, M. Reis, E. Schmitt, M. Hubert and B. De Ketelaere, "A systematic comparison of PCA-based statistical process monitoring methods for high-dimensional, time-dependent processes," *AIChE Journal,* vol. 62, no. 5, pp. 1478-1493, 2016.

[86] I. Santos-Ruiz, F. López-Estrada, V. Puig, E. Pérez-Pérez, J. Mina-Antonio, and G. Valencia-Palomo, "Diagnosis of Fluid Leaks in Pipelines Using Dynamic PCA," *IFAC-PapersOnLine,* vol. 51, no. 24, pp. 373-380, 2018.

[87] X.J. Zhang, "Statistical leak detection in gas and liquid pipelines," *Pipes & Pipelines International,* vol. 38, no. 4, pp. 26-29, 1993.

[88] J. Zhang, "Designing a cost-effective and reliable pipeline leak-detection system," *Pipes and Pipelines International,* vol. 42, no. 1, pp. 20-26, 1997.

[89] K. Oyedeko and H. Balogun, "Modeling and simulation of a leak detection for oil and gas pipelines via transient model: A case study of the niger delta," *Journal of Energy Technologies and Policy,* vol. 5, no. 1, pp. 2224-3232, 2015.

[90] F. Uilhoorn, "Comparison of Bayesian estimation methods for modeling flow transients in gas pipelines," *Journal of Natural Gas Science and Engineering,* vol. 38, pp. 159-170, 2017.

[91] T. Taylor, N. Wood, and J. Powers, "A computer simulation of gas flow in long pipelines," *Society of Petroleum Engineers Journal,* vol. 2, no. 04, pp. 297-302, 1962.

[92] X. Xu and B. Karney, "An overview of transient fault detection techniques," in *Modeling and Monitoring of Pipelines and Networks*: Springer, 2017, pp. 13-37.

[93] R. Isermann and M. Münchhof, *Identification of dynamic systems: an introduction with applications*. Springer Science & Business Media, 2010.

[94] S. M. Mujtaba, T. A. Lemma, S. A. A. Taqvi, T. N. Ofei and S. K. Vandrangi, "Leak Detection in Gas Mixture Pipelines under Transient Conditions Using Hammerstein Model and Adaptive Thresholds," *Processes,* vol. 8, no. 4, p. 474, 2020.

[95] J. Han, J. Pei and M. Kamber, *Data mining: concepts and techniques*. Elsevier, 2011.

[96] American Petroleum Institute*, Evaluation Methodology for Software Based Leak detection Systems*, American Petroleum Institute, 1995.

[97] A.S. Alghlam, V.D. Stevanovic, E.A. Elgazdori and M. Banjac, "Numerical Simulation of Natural Gas Pipeline Transients," *Journal of Energy Resources Technology,* vol. 141, no. 10, p. 102002, 2019.

[98] E. Tentis, D. Margaris and D. Papanikas, "Transient gas flow simulation using an Adaptive Method of Lines," *Comptes Rendus Mecanique,* vol. 331, no. 7, pp. 481-487, 2003.

[99] R. Alamian, M. Behbahani-Nejad and A. Ghanbarzadeh, "A state space model for transient flow simulation in natural gas pipelines," *Journal of Natural Gas Science and Engineering,* vol. 9, pp. 51-59, 2012.

INDEX

A
acoustic sensors, 15, 40
accuracy, 21,40,51,64
adaptivethresholds, 17,25,61,68,70,80
amplitude modulated pseudo random binary signals (APRBS), 48,56,
artificial neural network (ANN), 14,18,32,

B
blockage, 5,

C
constant thresholds, 25,60
computational intelligence, 14,32,35
corrosion, 5
crisp input, 36,80

D
data-driven, 27,41,69
data-driven FDD, 27
distribution pipeline(s), 2, 37
dynamic PCA (DPCA), 41,42

E
external parameters, 14
equation of state, 24,46

F
failure, 6,10
fault
detection, 33, 36-38,41,47,51-52, 67,71
detection and diagnostic (FDD), 13-16,18,21,24-25,33-34,39,47,71
feeder pipelines, 2
fluid(s), 5,21,23
flow, 47,71
velocity, 21,
fuzzy system, 32,35,38
neuro-, 37-38,70

G
gas mixture, 10,45-48,
gathering pipelines, 2,

H
Hammerstein model, 31, 71,73-74,77

I
if-then statements, 36,

L
leakage, 5,9,11,13,15,38,40,50,71
leak
detection, 16,19,23,25,36, 41
diagnosis, 10

M
Modelling
estimation errors, 49
errors, 16,60
fuzzy, 35
mathematical, 15,35
transient, 18,25, 71
model identification, 48-49,51-52,59, 70
malfunction, 9-10,13
monitoring, 9-10,13,15,21,58

N
natural gas, 4,5,11,45
non-isothermal, 21,24,70

O
one-dimensional, 47,70
simulator,47
OLGA
model, 47,53-55,68,70
software, 34,53,71
simulator, 47,52
false alarm, 16,22,25,35,64,68
rate (FAR), 25, 51
fault diagnosis, 11,38

P
parameter estimation, 28,73,75
performance indicator, 63
petroleum products, 4,
physics-based, 15-16,28,
pipeline inspection gauge (PIG), 15

R
residual, 16-17,38,42

S
Sensitivity, 51,64,67,
simulation, 38,46,53,56,68,70
soap-bubble method, 13-14
specificity, 51,64,67
steady state, 19,35,38,71,
supervised learning, 33
support vector machine (SVM), 32,39,

T
thresholds,37,49,70
adaptive, 17,25,47,61,68,70,80
constant, 25,61
transient flow, 10,24
transmission pipelines, 2,3
trunk, 2

V
validation, 47,49,53-54,
Volterra model, 30-32, 49,52,70,75

W
white noise, 29,31,63